
www.tajpharma.com

DOVISYN® (dofetilide) has been prescribed to you because you have many symptoms from atrial fibrillation/atrial flutter (AF/AFL). It may help your heart beat in a normal way. DOVISYN® can be used if you have structural heart disease, congestive heart failure, or have suffered a heart attack. It is not known if DOVISYN® works and is safe in children younger than 18 years of age.





DOVISYN® (dofetilide) is a medicine for highly symptomatic atrial fibrillation (irregular heartbeats).

Do not take DOVISYN if you have congenital or acquired long QT syndrome (a disorder of the heartbeat which may be present from birth, or it may be acquired as a result of certain medical conditions or from taking certain medications. People with long QT syndrome may have symptoms including an unusually rapid heartbeat, fainting, and seizures. Sudden cardiac death may also result from long QT syndrome); have serious kidney problems or are on kidney dialysis; .

The most common side effects of DOVISYN are headache, chest pain, and dizziness. DOVISYN can also cause other side effects. If you are concerned about these or any other side effects, ask your doctor.

Listed trademarks are the property of their respective owners.

>> Do not take 2 doses of DOVISYN® at the same time

INDICATION

DOVISYN® (dofetilide) is a medicine for highly symptomatic atrial fibrillation or atrial flutter (irregular heartbeats). DOVISYN may help by converting the irregular heartbeats to normal rhythm. It may also help by keeping the normal rhythm for a longer period of time. It has not been shown to work on certain types of irregular heartbeats that may come and go on their own.

What is TIKOSYN?

DOVISYN (dofetilide) is a prescription medicine. It affects the rhythm of your heart. It is used to treat irregular heartbeats such as atrial fibrillation (AF) and atrial flutter (AFL).

It's only suited for patients who have lots of symptoms. DOVISYN can be used to help your heart beat normally again and/or to keep it beating that way.

You must take DOVISYN® (dofetilide) exactly as your doctor tells you to. After your hospital stay, you will know what your personal DOVISYN® dose is. Then, it's important you take that dose every day. Your doctor will tell you more about the best time of day to take DOVISYN.

Food and Drug Administration (FDA) approved .Prescription Only (POM)